

# FLUORIDE:

## THE DEVIL'S ELEMENT

**WATER FLUORIDATION** is the practice of medicating people by dosing the public drinking water with fluoride chemicals like hydrofluorosilicic acid - part of a group of chemicals called silicofluorides (SiFs) derived from chimney scrubbers of phosphate fertilizer plants, aluminium smelters and uranium processing plants. They contain contaminants including lead, aluminium, arsenic, mercury, cadmium, radioactive radon and more. Despite most of the rest of the world abandoning the practice, the Australian Government have induced their states to fluoridate every town with over 1,000 residents by 2012. If they achieve their aim Australia will be the most fluoridated country in the world per capita of population. Once you medicate the water supply with fluoride it becomes pervasive in the food supply: It's also an ingredient in dental products and medications, and used as a fumigant of produce. No medical authority knows how much you are consuming or accumulating and no one is checking for side effects. SiFs have never been proven to be safe for human consumption anywhere in the world.

## BRAIN DAMAGE

- 1) Fluoride's ability to damage the brain represents one of the most active areas of research on fluoride toxicity today.
- 2) The research on fluoride and the brain has been fueled by recent human studies from China finding elevated levels of fluoride exposure to be associated with reduced cognitive ability (e.g. reduced I.Q.) in children.
- 3) The impact of fluoride on children's IQ has been documented even after controlling for children's lead exposure, iodine exposure, parental education and income status, and other known factors that might impact the results (Xiang 2003 a,b).
- 4) A recent UNICEF-sponsored study reported that in areas of China with endemic iodine deficiency, fluoride exposure during childhood significantly exacerbated the neurological deficits produced by iodine deficiency.
- 5) The findings of neurological effects in fluoride-exposed humans is consistent with, and strengthened by, recent findings from over 30 animal studies published since 1992. As with the studies on humans, the studies on animals have reported an impairment in learning and memory processes among the fluoride-treated groups.
- 6) The animal studies have also documented considerable evidence of direct toxic effects of fluoride on brain tissue, even at levels as low as 1 ppm fluoride in water (Varner 1998), including:
  - reduction in nicotinic acetylcholine receptors;
  - reduction in lipid content;
  - impaired anti-oxidant defense systems;
  - damage to the hippocampus;
  - damage to the purkinje cells;
  - increased uptake of aluminium;
  - formation of beta-amyloid plaques (the classic brain abnormality in Alzheimer's disease);
  - exacerbation of lesions induced by iodine deficiency; and
  - accumulation of fluoride in the pineal gland.



### NO SAFETY CHECKING BY AUSTRALIAN AGENCIES

**Therapeutic Goods Administration:**  
"These products have not been evaluated by the TGA for quality safety or effectiveness."  
**National Industrial Chemicals Notification and Assessment Scheme (NICNAS):** "We don't have test results for silicofluoride."

- Fluoride inhibits enzymes in every cell...
- Ages you prematurely...
- Attacks your nervous system...
- That's why they use it as a **PESTICIDE...**

More info: [fluoridealert.org](http://fluoridealert.org); [ukcaf.org](http://ukcaf.org); [qawf.org](http://qawf.org); [thehealthvine.net](http://thehealthvine.net); [healthymoneyvine.com](http://healthymoneyvine.com); [fluorideaustralia.org](http://fluorideaustralia.org); [fluoridationqueensland.com](http://fluoridationqueensland.com); [victorianfluorideactiongroup.org](http://victorianfluorideactiongroup.org); [baff.org.au](http://baff.org.au); [ccpurewater.org](http://ccpurewater.org); [home.vicnet.net.au/~fluoride/](http://home.vicnet.net.au/~fluoride/); [choicemountgambier.com](http://choicemountgambier.com)



SiFs are classified as **Schedule 8 POISONS**, are highly corrosive and toxic, and form hydrofluoric acid (HF) in the stomach, which damages the lining and inhibits the absorption of nutrients. Initial symptoms of fluorosis (fluoride poisoning) include **nausea, bloatedness, stomach ache, constipation and fatigue, increasing to vomiting and diarrhea**, and with long term exposure presenting as **mottling and pitting of teeth, psychological distress or mental illness, as well as skeletal deformations**. Some people can also develop **allergic reactions** such as **skin rashes**. Silicofluorides are known to **damage the thyroid and are carcinogenic**. See videos: [www.firewaterfilm.com](http://www.firewaterfilm.com) and **Dr Susheela interview:** <http://video.google.com/videoplay?docid=4519697926101725336#>

## CRIME INCREASE DUE TO SILICOFLUORIDES

by Dr. Myron J. Coplan  
Although silicofluorides (SiFs), principally fluosilicic acid (FSA), **have never been tested for health safety as water fluoridating agents**, they are used to fluoridate 91% of the municipal water intended for human consumption in the United States. Evidence published in peer-reviewed journals indicates that **chronic ingestion of SiF-treated water is a cause of elevated blood lead in children**. This evidence has been known by the EPA, CDC, and NIEHS since 1999, but they have disputed it with theoretical arguments and poor statistics.

Independent, new research has provided an explanation for the elevated blood lead. Unexpected amounts of lead are extracted from brass plumbing fixtures by water in which FSA is combined with chlorine or chloramine disinfectants. Ingesting such water or foods made with same will increase blood lead in children causing cognitive impairment and suppressed impulse control.

Moreover elevated blood lead has been unequivocally proven to damage tooth enamel integrity and increase susceptibility to caries. Dental fluorosis, considered "only cosmetic" by fluoridation proponents, has also been found to be more severe where silicon accompanies fluoride in naturally fluoridated areas...

A heretofore unacknowledged 1975 German PhD thesis provides evidence that SiF-treated water is likely to **disrupt enzyme functions with consequent additional adverse health and behavioral effects. FBI violent crime statistics also correlate with exposure to SiF-treated water**, probably due to bio-mechanisms driven by lead intoxication and/or acetyl-cholinesterase inhibition. *Ref Study: Masters, R. and Coplan, M. (1999a) "Water Treatment with Silicofluorides and Lead Toxicity," International Journal of Environmental Studies, 56: 435-49*

**"It is the inability to see the effects of chronic, low level toxicities on human health that has been, and remains, our greatest failing as intelligent beings." Dr. Boyd Haley**